Photo Inkjet Epson L800



True photo quality printing is truly affordable with the world's first Original Ink Tank System





The Epson L800 Photo Printer comes bundled with a starter kit of 6 bottles x 70ml of photo colour Epson inks, allowing up to 1,800° 4R photo prints.

*Based on ISO/IEC FDIS29103 pattern with Epson's own methodology.

Featuring an Epson Micro Piezo[™] print head technology that is built for durability while delivering impressive print speeds and energy efficiency, the Epson L800 photo printer's 6-colour ink tank system now lets you enjoy stunning photo quality prints at a remarkably low cost - the dream solution for any imaging enthusiast or professional.

 Increase your printing productivity with the Epson Original Ink Tank System Ideal for high print volumes at extremely low cost.

Minimise stoppage for ink changes with our high capacity tanks.

- True photo quality with genuine Epson inks Vibrant and accurate colours with six inks including Cyan, Magenta, Yellow, Black, Light Cyan and Light Magenta.
- Fast Ink Top-up (FIT) technology reduces ink wastage The Choke Valve prevents backflow or leakage during transport. Refilling ink tanks or transporting the printer has never been easier.

For details, please refer to specifications.

With its Epson Micro Piezo[™] print head that is renowned for amazing performance, accuracy and efficiency, the Epson L800 Photo Printer brings the highest quality in photo printing to imaging enthusiasts and professionals at the lowest running cost.



Increase productivity with the all-new Epson Original Ink Tank System

MICRO PIEZO™

The revolutionary Epson Original Ink Tank System is designed for high print volume usage in mind. With a yield of up to 1,800* 4R photos, the L800 Photo Printer offers great value for money. The system is fitted with filters and tank caps to control airflow and ensure minimal ink wastage from evaporation – resulting in minimal print head clogging and a cleaner work space.

True photo quality with genuine Epson inks

Only Epson photo inks ensure you the most vibrant and accurate photo prints. Every 70ml bottle of Epson high capacity ink comes with a unique 13-digit code that ensures its authenticity and a cap for easy storage of any unused ink.

As every bottle of ink is made by Epson, you can be sure of consistent and accurate colours even after weeks of storage. And at just US\$10.50 per bottle, you truly save with every print you make.



For details, please refer to specifications.

Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC FDIS29103. Actual yields may vary depending on manner of usage and print pattern.



Fast Ink Top-up (FIT) technology reduces ink wastage

Say goodbye to frequent ink changes, clogged valves or wasted ink with Epson Fast Ink Top-up (FIT) technology. The Choke Valve controls the ink flow and gives you more value for every bottle of ink you use. Simply lock the device during transportation of printer to minimise ink leakage or wastage.



Superior print speed for better productivity

in photo printing.



With a photo print speed of up to 13 sec per 4R photo*, you can achieve much more with less time.

With a resolution of 5760dpi and the

expanded colour gamut of 6 inks, you

can be assured of the highest quality

Achieve photo perfection with Epson **Creativity Suite**

Create professional and impressive photos and presentations with Epson's dynamic. user-friendly photo editing and enhancement software, Epson Creativity Suite. You can now achieve photo perfection with the following functions:

Red Eve Correction

Eliminate red eye effect and create professional photos instantly with just a click of a button.



Epson Portrait Enhance

Deliver beautiful and natural photo prints by adjusting the skin tones, colour casts and exposure levels.



Epson Easy Photo Print

Achieve photo lab quality prints in just 3 steps with this easy to use software.

Direct Printing onto CDs/DVDs

With the Epson L800, you can print directly onto the printable surface of your CDs/DVDs, removing the need for additional adhesive labels, thereby saving vou monev.

Enjoy peace of mind with Epson Warranty

Enjoy up to 3 months or 3,000 prints warranty coverage that ensures you get maximum value from your printer without having to worry about its maintenance.

professionals and photography enthusiasts.

Partners in perfection Epson ink bottles V330 Scanner Epson inks are designed specifically to work with your Unsurpassed image quality, zero warm-up time and effortless film scanning make it the perfect partner for

* Based on 4R borderless photo draft mode

Unsurpassed print quality

Epson printer to deliver long-lasting prints.



Inkjet Photo Printer

Epson L800

	PRODUCT CODE
188mm	PRINTER TYPE PRINTING METHOD NOZZLE CONFIGUE
(7.4")	PRINT DIRECTION
289mm (11.4") 537mm (21.1") Weight: 6.2kg (13.7lbs)	PRINT FUNCTION MAXIMUM RESOLU MINIMUM INK DROI PRINT SPEED *1 MAX BLACK DRAF MAX COLOR DRAI MAX PHOTO DRAI
*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on	PHOTO DEFAULT
paper in the raises mode, to X r3 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.	PAPER HANDLING PAPER FEED METH NUMBER OF PAPER PAPER HOLD CAPA
ormosi computer.	PAPER SIZE
	MAXIMUM PAPER S PRINT MARGIN
	COLOUR MATCHIN
#1 #2 Black text Black text and graphics	NOISE LEVEL LWAD : 5.0 B(A) LPAM : 34.7 DB(A
f3 Photo 4R (4' × 6')	ELECTRICAL SPEC RATED VOLTAGE RATED FREQUENC' POWER CONSUMP WHILE PRINTING I READY MODE SLEEP MODE SLEEP MODE POWER OFF MOD ENERGY STAR CER
*2 When printed on Epson Premium Glossy Photo Paper	PRINTER INTERFA
	INPUT DATA BUFFI
*Via custom setting. Otherwise 3mm top, left, right, bottom	PRINTER SOFTWA OPERATING SYSTE
**Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC FDIS29103. Actual yields may	ON-LINE GUIDE PRINTER APPLICAT
vary depending on manner of usage and	
print pattern.	EPSON GENUINE I BLACK CYAN MAGENTA YELLOW LIGHT CYAN LIGHT MAGENTA
print pattern.	BLACK CYAN MAGENTA YELLOW LIGHT CYAN

For more information, please contact:

PT EPSON INDONESIA Wisma Kyoei Prince 18" Floor JI. Jenderal Sudiman Kav.3 Jakarta Tel.(021) 5723161 Fax.(021) 5724357 Epson Call Centre (021) 5724151

EPSON SERVICE CENTRE • Jakarta (021) 62301104 • Bandung (022) 4207033 • Yogyakarta (0274) 581022 • Surabaya (031) 5355035 • Medan (061) 451073 • Pokanbaru (0761) 44270 • Pontlanak (0561) 735507 • Makassar (0411) 328212

ODUCT CODE	
INTER TYPE INTING METHOD ZZLE CONFIGURATION INT DIRECTION	On-demand ink jet (piezoelectric) 90 nozzles Bilack, 90 nozzles, each colour (Cyan, Magenta, Yellow, Light Cyan, Light Magenta) Bi-directional printing, Uni-directional printing
INT FUNCTION XIMUM RESOLUTION VIIMU NIK DOPLET VOLUME INT SPEED *1 IAX BLACK DRAFT TEXT - MEMO (A4) IAX COLOR DRAFT TEXT - MEMO (A4) IAX CHOTO DRAFT - 10X1SCM/4X6IN *2*3 HOTO DEFAULT - 10X1SCM/4X6IN	5760x1440 dpi (with Variable-Sized Droplet Technology) 1.5 pl Approx. 34ppm (Draft) Approx. 34ppm (Draft) Approx. 13 sec per photo (W/Border) Approx. 13 sec per photo (Borderless) Approx. 27 sec per photo (Borderless)
PER HANDLING PER FEED METHOD MBER OF PAPER TRAYS PER HOLD CAPACITY INPUT CAPACITY OUTPUT CAPACITY PER SIZE XIMUM PAPER SIZE INT MARGIN	Friction feed 1 120 sheets, A4 Plain paper (75g/m2) 20 sheets, A4 Plain Paper (Default mode Text) A4, A5, A6,B5, 10x15cm (4x8in),13x18cm (5x7in),16:9 wide size, Letter (8 1/2x11in), Legal (8 1/2x14in), Haf Letter (5 1/2x8 1/2in), 9x13cm (3.5x5 in),13x20cm (5x8in), 20x25cm (8x10in), 100x148mm. Envelopes: #10 (4 1/8x9 1/2in), DL (110x220mm), C6 (114x162mm) 8.5" X44" 0mm top, left, right, bottom via custom settings in printer driver*
LOUR MATCHING	ICM Profiles (Windows), Adobe RGB (Windows)
NSE LEVEL IAD : 5.0 B(A) AM : 34.7 DB(A)	Measurement : according to ISO7779 Pattern with PGPP/Photo RPM mode Calculation : according to ISO9296
ECTRICAL SPECIFICATIONS TED VOLTAGE TED TREQUENCY WER CONSUMPTION HILLE PRINTING ISO/IEC 24712 PATTERN EADY MODE LEEP MODE OWER OFF MODE ERGY STAR CERTIFIED	AC 220 – 240V (Rated voltage will depend on location) 50 ~ 60Hz AC220-240V, Approx. 13W AC220-240V, Approx. 3.3W AC220-240V, Approx. 1.2W AC220-240V, Approx. 0.3W Yes
INTER INTERFACE B	Hi-Speed USB - Compatible with the USB 2.0 Specification
PUT DATA BUFFER	64KB
INTER SOFTWARE ON CD-ROM ERATING SYSTEM COMPATIBILITY I-LINE GUIDE INTER APPLICATION SOFTWARE	Windows® 7 (32-bit, 64-bit) / Windows Vista® (32-bit, 64-bit) / Windows XP SP1 or higher (32-bit) / Windows XP Professional x64 Edition. Mac OS is not supported. Yes Printer Driver, MyEpson Portal, Epson Easy Photo Print, Epson Print CD
SON GENUINE INK BOTTLE LACK YAN LACKTA LAGENTA ELLOW GHT CYAN GHT MAGENTA	PHOTO PAGE YIELD** (4R) ORDER CODE 9900 T6731 1800 T6733 1800 T6735 76736 T6736
SON SPECIALTY MEDIA TTE PAPER HEAVYWEIGHT A4 OSSY PHOTO PAPER A4 EMIUM GLOSSY PHOTO PAPER 4A EMIUM GLOSSY PHOTO PAPER 4A OTO QUALITY INKJET PAPER A4 EMIUM SEMIGLOSS PHOTO PAPER A4 EMIUM SEMIGLOSS PHOTO PAPER A4	ORDER CODE C13504/259 C135042070 C135042071 C135041863 C135041863 C135041785 C135041785 C135041785 C135041785 C135041325

CLUDED IN PRINTER BOX

Yes Yes. T6731/T6732/T6733/T6734/T6735/T6736





Official Partner of Manchester United

SPECIFICATIONS

Printed May 2011

Dealer's Stamp