




KONICA MINOLTA

bizhub C35

Big on Technology. Small in Size.



bizhub 




The small bizhub that changes your office **in big ways**

A compact solution that enhances business efficiency and reduces TCO

Open plan offices often have the inconvenience of having A3 colour multifunctional devices located some distance away or in the next room. The bizhub C35 is the perfect solution for these environments. The bizhub C35 is an A4 colour multifunctional device with the performance and productivity similar to most A3 colour multifunctional devices in a compact A4 unit. The bizhub C35 is just the right size to be placed within arm's reach for increased business efficiency. TCO can be reduced by adding a bizhub C35 to offices which would normally host multiple devices including a black and white multifunction device, a colour printer and a fax machine.



The bizhub C35 is also the suitable size and function for franchises and satellite offices.



All-in-one design with standard faxing, scanning and duplex functions

The compact bizhub C35 has all the essential features of most multifunction devices. In addition to standard Super G3 faxing, network printing, and network scanning and copying functions, the bizhub C35 also provides a host of other standard features. These include a variety of security functions, Reverse Automatic Document Feeder, duplex printing and a 120 GB HDD. It is suitable in size and function as a main machine for franchises and satellite offices.


Standard Features

- Fax
- RADF*
- Automatic Duplex
- Network Print
- Copy
- Network Scan
- IPv6
- Emperon
- Universal Printer Driver
- Universal Design

*Reverse Automatic Document Feeder.



Advanced features and **functionality**



Outstanding productivity comparable with our high-end machines

Whether in colour or black and white, the bizhub C35 offers high-speed outputs of 30 pages per minute and provides 100%¹ productivity for duplex printing. The bizhub C35's multi-access feature allows simultaneous scanning and printing for increased efficiency.

Furthermore, the 1,350-sheet² large-capacity paper supply reduces the downtime needed for paper replacements, and the standard 60-210 gsm paper cassette accommodates a large variety of paper weights, even for duplex printing projects.

¹ Excludes mixed colour and black & white documents.

² 1,350 sheets max, when using two optional PF-P08 paper cassettes.

Newly developed ASIC for high quality documents


Equipped with a new ASIC (application-specific integrated circuit) which offers the latest image processing algorithms, the bizhub C35 inherits the image enhancement technologies proven on Konica Minolta's larger A3 multifunction devices. This represents our ongoing pursuit to provide devices that deliver quality business documents and reproduction of characters. In addition, the bizhub C35's printer controller is equipped with Konica Minolta's Emperon Print System, which includes PS mode and PCL mode, providing high level outputs that are consistently on par with our higher-end machines.

Enhanced integration with high-end bizhub series machines

In addition to centralised management made possible with PageScope Enterprise Suite software, a variety of user authentication systems including IC card authentication*, external-server authentication and multifunction device authentication are also available to the bizhub C35. Moreover, numerous functions, including reliable security and high-level networking allow seamless operations with our high-end machines. In addition, an intuitive control panel and Universal Design make the bizhub C35 the ideal office printer. With seamless operations, the bizhub C35 can be used as an extension to your existing office network of A3 multifunction devices without inconvenience.

* Optional authentication unit is required (Available soon).





Large 4.3-inch full colour LCD touch-screen display

The bizhub C35 is extremely simple to operate with an easy-to-see 32,000 colour high-resolution LCD display, large buttons, and icons that are recognisable at a glance.




Universal Printer Driver can be shared with other devices

The bizhub C35 is supported by Konica Minolta's state-of-the-art Universal Printer Driver (UPD) allowing it to be shared with other Konica Minolta multifunction devices and printers from a single interface. With the UPD, you can print from your laptop PC while away on business at a branch office, or in an office with multiple bizhubs without having to access a new driver. Furthermore, the UPD's basic functions are compatible with a variety of third-party networked multifunction devices and printers, to minimise the hassle of changing drivers for each brand.

*The UPD must be downloaded from the Konica Minolta website (free of charge).


*Applicable functions with the UPD will vary according to the device.



Environmentally Friendly

To lessen the burden on the environment, the bizhub C35 uses Simitri HD toner with biomass*, an advanced version of Simitri toner with biomass* which Konica Minolta has been producing since 2000 using plant-based resources. In addition, Konica Minolta has also developed an ozone-free charge roller, reduced the number of parts, and utilised recycled materials. Furthermore, by reducing energy consumption and adhering to the new international standard values set by the Energy Star program (Tier 2), the bizhub C35 offers both ecology and economy through reduced CO² emissions.

*Biomass is a renewable organic resource made up of biological materials and excludes fossil fuels.



The bizhub C35's small footprint conserves office floor space*



*Optional Desk (DK-P01) is required for floor set-up

bizhub C35 functions

Copy Functions

- Text, Photo, Text/Photo modes
- Auto density adjustment
- Auto paper selection
(Original must be specified)
- Auto zoom selection
(Original must be specified)
- Mixed originals (Letter and Legal only)
- Image rotation
- Program registration (up to 15)
- 2-in-1/4-in-1 copy
- Interrupt mode
- Slightly reduced copy
- Margin setting (position/size)
- Card Shot
- Separate Scan

Print Functions

- Document, Photo, DTP, Web, CAD modes
- Edge Enhancement
- Poster mode (2x2, 3x3, 4x4 PS only)
- N-in-1, N x N 2/4/6/9/16 in 1
(2x2, 3x3, 4x4 PCL only)
- Booklet
- Multiple protocol compatibility
- Stamp (Watermark)
- Overlay
- Cover sheet
- 180TM rotation
- Blank page control (PCL only)
- Margin setting (position/size)
- Print status notification (Application)
(Available soon)
- PDF/TIFF/JPEG/XPS Direct Print
- USB Direct Print
- ICC profiles download
- Toner Save Mode
- My Tab
- Black Overprint
- Auto Trapping
- PPML-Variable Data Printing
- Support for new function in latest
PDF version 1.7
- Save in HDD

Copy/Print Functions

- Multi-job
- Duplex copy/print
- Enlarge/reduce/zoom
- Sort
- Group
- Auto tray switch Proof copy/print
- Scanning Functions
- Auto Colour Selection
- Mixed original scanning (Letter and Legal only)
- Separate Scan
- Multi-Method Send (with restrictions)
- Scan to E-mail
- E-mail subject/ E-mail body text
- Scan to SMB
- Scan to FTP
- E-mail notification of Scan
to SMB/FTP URL
- Scan to WebDAV
- Scan to USB
- TWAIN Scan (Raw mode only)
- Windows WIA Scan
- WS-Scan
- Compact PDF
- File type (TIFF/PDF/JPEG/XPS)
- Save in HDD


Fax Functions

- G3 Fax
- Text, Photo, Text/Photo modes
- 2-sided transmission
- Memory transmission
- Timer transmission
- Memory RX (print as needed)
- Memory reception (save when printing fails)
- Fax forwarding (Temporary Forward
Transmission not supported)
- Polling reception
- Sequential multiple station transmission
- F-code
- ECM OFF
- V.34 OFF
- Transmission report
- Internet Fax (Simple mode only)
(Available soon)
- PC Fax
- Cover sheet (PC Fax)
- Acquiring address information from MFP
(PC Fax) Scanning/Fax Functions
- One-touch registration (up to 2,000)
- Program transmission (up to 400)

- LDAP search (One registered server only)
Security and Management Functions
- Built-in Authentication
- Non-Contact IC Card Authentication (Optional
authentication unit is required) (Available soon)
- ID & Print (Optional authentication unit is
required) (Available soon)
- External Server Authentication
- NDS authentication over TCP/IP
- Department management (Account Name,
Password) (PageScope Web Connection only)
- Secure Print (Win/Mac OSX only)
- Copy Protect (PC print (PCL) only)
- Scan to E-mail SMTP authentication,
POP3 before SMTP
- SMTP over SSL/Start TLS
- Encrypted PDF
- S/MIME
- IEEE 802.1X support
- IP Filtering
- SSL/TLS Protocol
- Overwrite all data in the HDD
- HDD data encryption
- Confidential transmission
- Password transmission/reception (F-code)
- Automatic fax destination verification and
transmission (CSI: Called Subscriber ID)
- Fax number confirmation
- ISO15408 (In evaluation)

Other Functions

- Help
- Status Notifier
- B/W Printing When Colour Toner Runs Out
- IPv6 Protocol
- DPWS supported (Windows Vista)
- CPU (800MHz)
- HDD (120GB)
- Emperon
- Interface: Ethernet (1000Base-T/100Base-
TX/10Base-T), USB 2.0, USB Host
- bEST (Available soon)
- LCD (Colour 96.7 x 55.5mm)
- Maximum total capacity (1,350 sheets)
- Paper capacity: 1st tray (250 sheets)
- 2nd tray (Optional)
- Multiple Bypass Tray (100 sheets)
- Multiple Bypass Tray paper weight support
(210 gsm)
- Auto Duplex



Technical Specifications

bizhub C35 General Specifications

Type	Desk top Full-Colour Printer/Copier/Scanner	
Colour Support	Full-Colour	
Copy Resolution	Scan	600 dpi x 600 dpi
	Print	600 dpi x 600 dpi
Gradation	256 colour shades per pixel (8-bit)	
Memory Capacity	1.5GB (Std/Max)	
HDD	120GB (shared print, copy, scan and fax)	
Original Type	Sheets, Books, Objects	
Max. Original Size	Max. A4 or 8.5" x 14"	
Output Size	Tray 1 (Standard) (Multiple Bypass Tray)	A4, A5, B5, A6, B6, 16K 4" x 6", 5.5" x 8.5", 8.5" x 11", 8.5" x 14"
	Tray 2 (First Cassette) (Standard) (Universal Tray)	A4, A5, B5, A6, B6, 16K 4" x 6", 5.5" x 8.5", 8.5" x 11", 8.5" x 14"
	Tray 3 and 4 (Second and Third Cassette) (Optional) (Universal Tray)	A4, B5 8.5" x 11", 8.5" x 14"
Image Loss	Copy	Max. 4.0 mm for Top/bottom/right/left edge
	Print	Max. 4.2 mm for Top/bottom/right/left edge
Warm-Up Time (23°C, std. voltage)	45 sec. or less (May vary depending on the operating environment and usage.)	
First Copy Time ¹	Colour	12.0 sec.
	B/W	10.1 sec.
Copy Speed	Colour	A4: 30 ppm
	B/W	A4: 30 ppm
Copy Magnification	Fixed Same Magnification	1:1, 1.0% or less
	Scaling Up	1:1.154 / 1.224 / 1.294 / 1.414 / 1.545 / 1.631 / 2.000
	Scaling Down	1:0.866 / 0.816 / 0.785 / 0.707 / 0.647 / 0.500
	Preset	3 types
	Zoom	Flatbed ADF
Paper Capacity (80g/m ² paper)	Standard	100-sheet multiple bypass tray, 250-sheet universal tray
	Max.	1,350 sheets (total, with options)
Paper Weight	60-210 gsm	
Multiple Copy	1-999 sheets	
Power Requirements	220-240V (50-60Hz)	
Max. Power Consumption	1.3kW or less	
Dimensions [W] x [D] x [H]	555 mm x 508 mm x 550 mm	
Weight	39kg	
Space Requirements [W] x [D]	1,068 mm x 954 mm	

¹A4/full size/using the first tray/scanning from the original glass surface.

Printer Specifications (Standard)

Type	Embedded	
CPU	MV78100 (800MHz)	
Memory	Shared with the copier	
Print Speed	Same as Copy Speed (when using the same original)	
HDD	120 GB (Shared with the copier)	
Print Resolution	600 dpi x 600 dpi	
PDL	PostScript3 Emulation, PCL5e/c/PCL6, XPS PDF Direct Printing, JPEG/TIFF/XPS Direct Print	
Protocol	TCP/IP, EtherTalk, IPX/SPX, UPD, IPv6	
Support OS	PCL6	Windows 2000, Windows XP/XP 64bit, Windows Server 2003/Server 2003 64bit, Windows Vista/Vista 64bit, Windows Server 2008/Server 2008 64bit, Windows 7 (Not certified by WHQL)
	PS3	Windows 2000, Windows XP/XP 64bit, Windows Server 2003/Server 2003 64bit, Windows Vista/Vista 64bit, Windows Server 2008/Server 2008 64bit, Mac OS X (10.2.8/10.3.9/10.4/10.5), LINUX, Windows 7 (Not certified by WHQL)
	XPS	Windows Vista, Windows Server 2008, Windows 7 (Not certified by WHQL)
Fonts	PCL	80 fonts
	PS	137 fonts
Interface	Ethernet (10Base-T/100Base-TX/1000Base-T), USB 2.0 (High Speed)	

Scanning Specifications (Standard)

Type	Full-Colour Scanner	
Interface	Ethernet (10Base-T/100Base-TX/1000Base-T), USB Host	
Driver	Network TWAIN Driver, WIA (1.0/2.0) Driver (for Windows only)	
Protocol	TCP/IP (FTP, SMB, SMTP, WebDAV, WS-Scan)	
Scanning Speed (300dpi)	B&W/Colour	A4: 30/30 ppm
Scanning Size	Flatbed Scan	Max. A4/Legal
	ADF Scan	Max. 215.9 x 1,000 mm (Only fax is possible for sizes exceeding 355.6mm in length)
Output Format (Single Page/Multi-Page)	TIFF, PDF, Compact PDF, Encrypted PDF, JPEG*, XPS Page Setting	
Scanning Resolution	150dpi x 150dpi, 200dpi x 200dpi, 300dpi x 300dpi, 600dpi x 600dpi (Network-TWAIN: 150dpi, 300dpi, 600dpi, 1200dpi, 2400dpi, 4800dpi)	
Main Function	Scan to E-mail, Scan to FTP Scan to SMB, Scan to HDD, Scan to WebDAV, Scan to USB, WS-Scan, Windows WIA Scan	

*JPEG is single page only.

Fax Specifications (Standard)

Communication	Super G3	
Compatible Lines	Public Switch Telephone Network, PBX	
Line Density	Std.	200 x 100 dpi (8 dot/mm x 3.85 line/mm)
	Fine	200 x 200 dpi (8 dot/mm x 7.7 line/mm)
	Super Fine	400 x 400 dpi (16 dot/mm x 15.4 line/mm)
Modem Speed	2.4 to 33.6kbps	
Compression	MH/MR/MMR/JBIG	
Sending Paper Size	Flatbed Scan	Max. A4/Legal
	ADF Scan	Max. 215.9 x 1,000 mm (STD/Fine/Super Fine)
Recording Paper Size	Max. A4/Legal Long Length Record Max. 1,000mm - following the page division	
Transmission Speed	Less than 3 sec. (A4, V.34, 33.6kbps, JBIG)	
Scanning Speed	A4: 30 ppm ²	
Number of Abbr. Dials	2,000 ²	
Number of Program Dials	400 ²	
Number of Group Dials	100 ²	
Sequential Multiple Station Transmission	500	

¹Excluding Super Fine. ²Maximum values include main scan functions listed above.

System Options

Working Table WT-P01 (Available soon)




Paper Feed Unit PF-P08 PF-P08

Equipped with a paper drawer that supplies 500 sheets.

* A maximum of two optional PF-P08 paper feed units may be added.

Desk DK-P01





KONICA MINOLTA

Konica Minolta
Business Solutions Australia Pty Ltd

Free Call 1800 789 389
konicaminolta.com.au

New South Wales

4 Drake Avenue
Macquarie Park NSW 2113
(02) 8026 2222

Victoria

21-29 Moray Street
Southbank VIC 3006
(03) 8699 0777

Queensland

64 Brookes Street
Bowen Hills QLD 4006
(07) 3872 9100

ACT

1/55 Wentworth Avenue
Kingston ACT 2604
(02) 6206 6500

South Australia

255 Gilbert Street
Adelaide SA 5000
(08) 8231 2911

Western Australia

50 Belgravia Street
Belmont WA 6104
(08) 9479 6600



Product appearance, configuration and/or specifications are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simtri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Microsoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.



Ecology & Environment

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- RoHS Compliance
- WEEE Compliance
- Eco-conscious Toners
- Production at ISO Certified Factories

⚠ Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).